

GEMA



PALLET WRAPPING MACHINE



PRODUCT INTRODUCTION

T Series pallet wrapping machine, a versatile solution designed for efficient container transportation and bulk pallet packing across various industries. From fragile glass products to sturdy hardware tools, electronic appliances to delicate ceramics, our machine caters to a wide range of goods including those in the papermaking, chemical, food, beverage, and building material sectors.

Our T Series aims to enhance logistics efficiency while minimizing losses during transportation. With its advanced features, including dustproof and moisture-resistant capabilities, it ensures the integrity of your goods throughout the supply chain. Moreover, by reducing packaging costs, it offers a cost-effective solution for businesses looking to optimize their packaging processes.

Upgrade your product packaging with the T Series pallet wrapping machine - the ideal choice for streamlining operations and safeguarding your merchandise during transit.





FEATURE ADVANTAGE

- Human machine interface control, easy to operate.
- AC motor, adjust tensile and film feeding speed by transducer control.
- The safety film carriage door, easy to assemble the film, the machine can't run when the door is open. Keep safety during operation.
- Durable using, our wrapping machines can be used for super 10 years which is approved by most of our customers. Easy handling, we improve the machine according to 16 years experience to make it more human friendly, safe and easy operation.

MACHINE NAME	MODEL	QUANTITY	UNIT PRICE FOB	AMOUNT
PALLET WRAPPING MACHINE	T1650F	1 SET	USD1780	USD 1880
Total FOB Qingdao,China				USD 1880

For the standard film size :500mm(width)*25mic (Thickness)
15kgs/roll The price is USD26.5/roll price based on 1 ton

Remark:

1. The above price is valid for one month.
2. Payment term: 50% T/T as prepayment,50% T/T after finishing the machine and checking quality.
3. Delivery time:Standard model have in the stock ,if need customize ,it takes about **10-15 working days**
4. We offer 1 year guarantee for machine parts since delivery date and all life service

Packing: the goods are packaged in wooden case or iron shelf suitable for sea-worthy shipping.



GEMA



MAIN TECHNICAL PARAMETERS

Turntable diameter	1650mm
Wrapping productivity	20-45 pallets/h
Wrapping specification	L(500-1200)mm*W(500~1200)mm
After packing size	2800x1880x900mm
HS CODE	8422400090
Standard Wrapping height	2000mm
Max. turntable loading	2000kg
Machine size	2450x1650x880mm
Turntable height	80mm
Machine weight	750kg
Machine power	1.5Kw
Supply voltage	120V/60HZ, 1 Phase
Turntable speed	3~12rpm
Wrapping material	LLDPE Stretch Film
Thickness	17~35µm
Width	500mm (can be customized)
Inner center of film roll	76.2mm
Max. film roll diameter	250mm



MAIN FUNCTION

CONTROL SYSTEM	PLC programmable control Human machine interface, the winding layers and the frequency can be set
	Photoelectric switch, automatic sensing the height of the goods
	Function of reinforce the winding, supply special protection for certain part
	Over top time can be set
TURNTABLE DRIVING	3~ 12 rpm variable frequency speed is adjustable
	Turntable driving is chain transmission, precise positioning
	Turntable bottom with forklift slots
FILM FRAME SYSTEM	Film frame is power pre-stretch structure, pre-stretching can be up to 250%.
	Double chain structure, steady and reliable
	AC motor drawing film, the inverter adjust tension
	Lifting and down speed of frame film, and film feeding speed can be adjustable
	The top and bottom coil number can be controlled separately
HUMAN MACHINE INTERFACE CONTROL	Digital parameter setting
	Turntable rotation speed, film frame up-down rate, output film speed of the film frame(0-50 can be set)
	Accounting winding capacity and total capacity, also can cancel into "0"
	Can pack in any place. Not only from bottom to up
	Can adjust film frame up and down by function button without photoelectric switch.
	Can set packing layers in up and bottom
	Can set overloading time
	Can strengthen important point
Can check and stop automatically when film breaking	

ADDITION FUNCTION

(If you need ,we can add the function for you extra)

RAMP

It can easy to move and put goods on the turntable



SCALE


It is more easy to measure the weight of an item



M TYPE PALLET

Wrapping machine work with forklift





Gema Distribución y Servicios SAS



@gemadistribucionyserviciosas

GEMA DISTRIBUCIÓN Y SERVICIO SAS
900,109,517-0
CRA. 6 # 9-01 – PEREIRA – RISARALDA
gemaservicios.com
info@gemaservicios.com
3162489075